Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

- 1. (Currently amended) A method for identifying a compound that modulates taste signaling in taste cells, the method comprising the steps of:
- (i) contacting the compound with a eukaryotic host cell or cell membrane which expresses a taste cell-specific ion channel subunit:
- (a) having greater than about 70% 90% amino acid sequence identity to a polypeptide having a sequence selected from the group that consists of SEQ ID NO: 2, SEQ ID NO: 5, and SEQ ID NO: 8; and
- (b) specifically binding to polyclonal antibodies that specifically bind to a polypeptide having a sequence selected from the group that consists of SEQ ID NO: 2, SEQ ID NO: 5, and SEQ ID NO: 8 forming a functional ion channel; and
- (ii) determining a functional effect of the compound upon a transmembrane ion flux of a predetermined ion, thereby identifying a compound that modulates taste signaling in taste cells.
- 2. (Original) The method of claim1, wherein the functional effect is determined by measuring changes in intracellular ion concentration.
- 3. (Original) The method of claim 1, wherein the functional effect is determined by measuring changes in intracellular Ca⁺⁺.
- 4. (Original) The method of claim 1, wherein the changes in ion flux are measured by an assay selected from the group consisting of a voltage clamp assay, a patch clamp assay, a radiolabeled ion flux assay, or a fluorescence assay using ion sensitive dyes.

Appl. No. 10/026,188 Amdt. dated April 28, 2005 Reply to Office Action of November 30, 2004

- 5. (Original) The method of claim 1, wherein the cell or cell membrane is attached to a solid substrate.
- 6. (Original) The method of claim 1, wherein the taste cell-specific ion channel subunit is from a mammal.
- 7. (Original) The method of claim 6, wherein the taste cell-specific ion channel subunit has an amino acid sequence selected from the group that consists of SEQ ID NO: 2, SEQ ID NO: 5, and SEQ ID NO: 8.
 - 8. (Original) The method of claim 1, wherein the host cell is a human cell.
- 9. (Original) The method of claim 1, wherein the host cell is a HEK 293 cell.

10-11. (Canceled)

12. (Currently amended) A method of modulating taste signaling in taste cells of an individual, comprising

administering to an individual a pharmacologically effective amount of a composition that modulates taste signalling by an ion channel subunit

- (a) having greater than about 70% 90% amino acid sequence identity to to a polypeptide having a sequence selected from the group that consists of SEQ ID NO: 2, SEQ ID NO: 5, and SEQ ID NO: 8; and
- (b) specifically binding to polyclonal antibodies that specifically bind to a polypeptide having a sequence selected from the group that consists of SEQ ID NO: 2, SEQ ID NO: 5, and SEQ ID NO: 8 forming a functional ion channel;

thereby modulating taste signalling in taste cells of said individual.

Appl. No. 10/026,188 Amdt. dated April 28, 2005 Reply to Office Action of November 30, 2004

- 13. (Original) A method of claim 12, wherein said ion channel subunit has an amino acid sequence selected from the group that consists of SEQ ID NO: 2, SEQ ID NO: 5, and SEQ ID NO: 8.
 - 14. (Original) A method of claim 12, wherein said individual is a mammal.
 - 15. (Original) A method of claim 12, wherein said individual is a human.